


# BOCCHETTONE - IVR 60/A - IVR 60/B


- Valvola a sfera a passaggio totale con bocchettone - attacchi M/F  
*Impieghi: impiantistica idraulica civile e industriale, installazioni idrotermosanitarie.*
- Full bore ball valve with male union connection - threaded ends M/F  
*Application: hydraulic domestic and industrial installations, sanitary systems.*
- Kugelhahn mit vollem Durchgang und Stutzen (Überwurfverschraubung) - Anschlüsse mit Außen- und Innengewinde  
*Anwendung: Sanitäranlagen, Hausanlagen, Industrieanlagen, Wasser- und Thermoanlagen.*
- Vanne à boisseau sphérique à passage intégral avec raccord - fixations M/F  
*Application: projets civils et industriels, installations hydro termo sanitaires.*
- Полнопроходной шаровой кран с накидной гайкой - соединения Н/В  
*Сфера применения: для гидравлических систем жилых помещений и промышленных, для гидро-тепло-санитарных нужд.*

## IVR 60/A



## IVR 60/B

N	DENOMINAZIONE PART NAME	MATERIALE MATERIAL	TRATTAMENTO TREATMENT
1	Corpo - Body	Ottone - Brass CW 617N - UNI EN 12165/98	Nichelato - Nickel plated
2	Manicotto Body end	Ottone - Brass CW 617N - UNI EN 12165/98	Nichelato - Nickel plated
3	Seggio - Seat	PTFE	
4	Sfera - Ball	Ottone - Brass CW 617N - UNI EN 12165/98	Cromata - Chrome plated
5	Asta - Stem	Ottone - Brass CW 614N - UNI EN 12164/98	
6	O-Ring - O-Ring	EPDM	
7	O-Ring - O-Ring	HNBR	
8	Maniglia - Handle	Alluminio - Aluminio	Verniciato - Painted
9	Dado - Nut	Acciaio - Steel	Zincato - Zinc plated
10	Codolo - Union	Ottone - Brass CW 617N - UNI EN 12165/98	Nichelato - Nickel plated
11	Calotta - Nut	Ottone - Brass CW 617N - UNI EN 12165/98	Nichelato - Nickel plated



Size

1/2" - 3/4" 50 bar  
1" - 1 1/4" 40 bar


Max  
+110° C  
Min  
-20° C

ISO 228-1

Asta anticoppio  
Anti blow-out stem



## PERDITE DI CARICO - FLOW AND PRESSURE DROPS



Misura - Size	KV
1/2" - 15	20
3/4" - 20	45
1" - 25	60
1" 1/4 - 32	100

## DIMENSIONI - DIMENSIONS (mm)

Size	Ø	F	S	H	L	Ch	Ch1
1/2"	15	11	74	37	50	25	30
3/4"	20	13	86	40	50	31	37
1"	25	15	98	47	61	38	46
1" 1/4	32	17	111	57	72	47	52

